

1-2-01

In the United States Patent and Trademark Office

Applicants: Hyung Byum Kim; Eun Jung Kang; Docket No.: 13788
Eo Yeon Hwang; Doo Hong Kim

Serial No.: Unknown Group: Unknown
Filed: December 28, 2000 Examiner: Unknown
For: ABSORBENT ARTICLE WITH FLUID INTAKE INTENSIFIER

Express Mail EK 563981232 US Date: December 28, 2000

Transmittal Letter
Utility U.S. Patent Application
Plural Inventors

ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the above-identified utility U.S. patent application.

Enclosed are:

1. 20 pages of specification, including a one (1) page Abstract and Twenty-two (22) claims.
2. An unexecuted Combined Declaration and Power of Attorney is enclosed herewith.
3. Three (3) sheets of drawings.
4. This Transmittal Letter, in duplicate.

The filing fee, pursuant to 37 C.F.R. 1.16(a), (b), (c) and (d), has been calculated as follows:

	Number Filed		Number Extra	Rate	Fee
Total Claims	22	-20 =	2	x 18 =	\$36.00
Independent Claims	3	-3 =	0	x 80 =	
First Presentation of Multiple Dependent Claims				+ 270 =	
				Base Fee	\$710.00
				TOTAL	\$746.00

Please charge Kimberly-Clark Worldwide, Inc. deposit account number 11-0875 for (1) the filing fee indicated in the TOTAL above; and (2) any patent application processing fees required under 37 C.F.R. 1.17.

In the event the filing fee indicated in the TOTAL above has been incorrectly calculated, please charge any additional filing fee or credit any excess in the filing fee to Kimberly-Clark Worldwide, Inc. deposit account number 11-0875.

Pursuant to 35 U.S.C. §120 and/or 35 U.S.C. 119(e), Applicants hereby claim priority from presently copending U.S. Provisional Application No. 60/173,912 entitled "ABSORBENT ARTICLE WITH FLUID

INTAKE INTENSIFIER" and filed on December 29, 1999, in the names of Hyung Byum Kim, Eun Jung Kang, Eo Yeon Hwang, Doo Hong Kim.

Please preliminarily amend the specification of the present application by inserting, as the first sentence following the title, the following: "This application claims priority from U.S. Provisional Application No. 60/173,912 filed on December 29, 1999."

Please address all correspondence to: Thomas M. Parker, Kimberly-Clark Worldwide, Inc., Patent Department, 401 North Lake Street, Neenah, Wisconsin 54956.

The undersigned may be reached at: 920-721-4043.

Respectfully submitted,

HYUNG BYUM KIM ET AL.

By:



Thomas M. Parker

Registration No.: 42,063

CERTIFICATE OF MAILING

I, Cynthia M. Trudell, hereby certify that on December 28, 2000, this document is being deposited with the United States Postal Service, postage prepaid, Express Mail No. EK 563981232 US in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

By:



Cynthia M. Trudell

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Hyung Byum Kim et al. Docket No: 13788
Serial No.: Unknown Group No: Unknown
Filed: December 28, 2000 Examiner: Unknown
For: ABSORBENT ARTICLE WITH FLUID INTAKE INTENSIFIER

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

EXPRESS MAIL CERTIFICATE

"Express Mail" label number: EK 563981232 US

Date of deposit: December 28, 2000


I hereby certify that the following attached paper or fee

Three (3) Sheets of Drawings

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Cynthia M. Trudell

(Typed or printed name of person mailing paper or fee)


(Signature of person mailing paper or fee)

- Note: Each paper must have its own certificate and the "Express Mail" label number as a part thereof or attached thereto. When, as here, the certification is presented on a separate sheet, that sheet must (1) **be signed** and (2) **fully identify and be securely attached to the paper or fee it accompanies**. Identification should include the serial number and filing date of the application as well as the type of paper being filed, e.g., complete application, specification and drawings, responses to rejection or refusal, notice of appeal, etc. If the serial number of the application is not known, the identification should include at least the name of the inventor(s) and the title of the invention.
- Note: The label number need not be placed on each page. It should, however, be placed on the first page of each separate document, such as, a new application, amendment, assignment, and transmittal letter for a fee, along with the certificate of mailing by "Express Mail". Although the label number may be on checks, such a practice is not required. In order not to deface formal drawings, it is suggested that the label number be placed on the back of each formal drawing or the drawings be accompanied by a set of informal drawings on which the label number is placed.

(Express Mail Certificate [8-3])